

ONE SURFACE, MANY POSSIBILITIES

POLISHED VITRIFIED TILES



NOVEMBER - 2019

Kajaria



Aerial view of virat nagar plant. (Rajasthan)

WE PURSUED EXCELLENCE, **LEADERSHIP FOLLOWED.**

Kajaria Ceramics is the largest manufacturer of Ceramic/Vitrified tiles in India. It has an annual capacity of 73 mn. sq. meters, distributed across Eight plants. The motivating factor remains the zeal to be the best, to be at the top and to achieve the highest echelons of excellence. The manufacturing units are equipped with cutting edge technology. Intense automation, robotic car application and a zero chance for human error are just few reasons why Kajaria remains at the top in the Industry. The best in providing tile solutions, Kajaria has since then grown stronger with its hard work, innovation and patronage from our discerning customers.

AWARDS & ACCOLADES



Only ceramic tile company in India to be conferred with "superbrand" for the eleventh Consecutive year.



Awarded Asia's Most promising brand.



Certified member of Indian Green Building Council

- ISO 9001:2008 Certification for Implementing a Quality Management System.
- ISO 14001 Certification for Implementing an Environmental Management System.
- ISO 22000:2005 Certification for Implementing a Food Safety Management System.
- ISO 50001:2011 Certification for Establishing, Implementing, Maintaining and Improving an Energy management System.
- SA 8000 certification for Implementing Social Accounting Standards.



ONE SURFACE
MANY POSSIBILITIES



Kajaria

ONE SURFACE. MANY POSSIBILITIES


POLISHED VITRIFIED TILES

INDEX

80X160 CM	SOLITAIRE PLUS	06-15
100X100 CM	SOLITAIRE PLUS	16-21
80X80 CM	SOLITAIRE	22-27
80X80 CM	TROPICANA	28-31
60X120 CM	SAPPHIRE	32-37
60X60 CM	AMAZON	38-41
60X60 CM	SANDUNE	42-45
60X60 CM	STONE ART	46-49
60X60 CM	STONEGRES	50-53
60X120 CM	TERRAZZO	54-55
60X60 CM	DOUBLE CHARGE	56-59
60X60 CM	ELEGANT SOLUBLE SALT	60-63
40X40 CM	DURATECH	64-72



Introducing
SOLITAIRE PLUS
INDIA'S FIRST DOUBLE CHARGE
MEGA TECHNICAL SLAB
IN SIZE 800X1600MM



≤0.05%
Water
absorption



Resistance
to deep
abrasion



Thermal
expansion
coefficient



Scratch
resistant



Frost
resistance



Chemical
resistance




Color
resistance
to light



Stain
resistance



Low
Maintenance



Large Dimensions with Diversity of the Marble

Kajaria introduces Solitaire Plus - India's first Double Charge Mega Technical Slab in size of 800x1600mm which is a revolution in Polished Vitrified Double Charge Tiles product category. Emanating a breathtaking visual impact of a space, Solitaire Plus slabs are aesthetically pleasing and its grandeur and bold look demonstrate its utility and splendishness. Serving as an ideal solution to numerous applications, these Mega Technical Slabs are magnificently huge in size and reduces wastage while installation. Adding to its reliability, these slabs have close to almost 0% water absorption ($\leq 0.05\%$) which ensures the surface remains 100% moisture free, evading the growth of bacteria and fungus. Exhibiting a super sheen nano surface, the Solitaire Plus provides stain resistance and easy maintenance. The sturdy slabs are nearest to natural stone and is also recommended for high traffic areas.

SOLITAIRE PLUS

TECHNICAL SLAB - 800x1600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



SOLITAIRE PLUS

TECHNICAL SLAB - 800x1600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 16801

800x1600MM



K 16802

800x1600MM



K 16805

800x1600MM

SOLITAIRE PLUS

TECHNICAL SLAB - 800x1600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



SOLITAIRE PLUS

TECHNICAL SLAB - 800x1600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 16806

800x1600MM



K 16807

800x1600MM



K 16809

800x1600MM

SOLITAIRE PLUS

TECHNICAL SLAB - 800x1600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



SOLITAIRE PLUS

TECHNICAL SLAB - 800x1600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 16812

800x1600MM



K 16821

800x1600MM



K 16822

800x1600MM

SOLITAIRE PLUS

TECHNICAL SLAB - 800x1600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



SOLITAIRE PLUS

TECHNICAL SLAB - 800x1600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 16823

800x1600MM



K 16825

800x1600MM



K 16826

800x1600MM

*One Surface
Many Possibilities*

Solitaire Plus



1000x1000 MM


Introducing Solitaire Plus 1000x1000 mm vitrified tiles. Kajaria's exclusive technologies, high standards and reliability are matched with style, taste and design of these tiles. Indulge into a grandiosity of space which reflects refined delicacies. The tiles symbolize the epitome of a luxe yet contemporary collection.

SOLITAIRE PLUS

1000x1000MM | SUPER GLOSSY


DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria




K 10101

1000x1000MM



K 10102

1000x1000MM



K 10103

1000x1000MM



K 10104

1000x1000MM

SOLITAIRE PLUS

1000x1000MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



SOLITAIRE PLUS

1000x1000MM | SUPER GLOSSY


DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria




K 10105

1000x1000MM



K 10106

1000x1000MM



K 10107

1000x1000MM



K 10108

1000x1000MM

SOLITAIRE PLUS

1000x1000MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



SOLITAIRE PLUS

1000x1000MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 10109

1000x1000MM

The Gem of Every Abode

Solitaire



800x800 MM

The essential synthesis of aesthetics and quality of materials, solitaire is the shining gem in polished vitrified tiles, with a profound aesthetic design, and the emblem of Kajaria.

These 80x80 cm floor tiles are remarkable in appeal and embraces all colors. Kajaria's exclusive technologies, high standards and reliability are matched with style, taste and design of these tiles. Indulge into a grandiosity of space which reflects refined delicacies. The tiles symbolize the epitome of a luxe yet contemporary collection.

SOLITAIRE

800x800MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 8401

800x800MM



K 8402

800x800MM



K 8403

800x800MM



K 8404

800x800MM



K 8405

800x800MM



K 8409

800x800MM

SOLITAIRE

800x800MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



SOLITAIRE

800x800MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 8411

800x800MM



K 8412

800x800MM

SOLITAIRE DRAGON
800x800MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



SOLITAIRE DRAGON
800x800MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 8503

800x800MM



K 8505

800x800MM



K 8506

800x800MM




K 8507

800x800MM

Alluring Beauty

Tropicana



With the interplay of astounding grandeur and blissful perception of space, the Tropicana series will surely charm your heart and refine your space.

The 80x80 cm tiles enable you to expand your boundaries of imagination and design with a glorious display of various designs to adorn your floors. Skillfully crafted by using state-of-the-art technologies, these tiles are durable in both form and function. Experience the constant balance between modernity and harmony aligning with the most innovative standards.

TROPICANA

800x800MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 8301

800x800MM




K 8302

800x800MM



K 8303

800x800MM



K 8306

800x800MM



K 8307

800x800MM



K 8308

800x800MM

TROPICANA

800x800MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria




TROPICANA

800x800MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 8309

800x800MM



K 8310

800x800MM



K 8311

800x800MM

*Beauty In
Perfect Size.*

Sapphire



600x1200 MM

Introducing double charge polished vitrified tiles in the size of 60x120 cm for the first time in india. Sapphire is created from the evolution of metropolitan style, that makes up the urban lifestyle. Created with the finest elements and conceived with a unique vision, Sapphire combines sensational designs with practical dimensions in one compelling form. A stunning product, cladding all kinds of interiors, conferring harmony and charm in the most mesmerizing way, Sapphire lets you explore the feeling of exclusivity by creating the perfect stylish ambience.

SAPPHIRE

600x1200MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 12601

600x1200MM



K 12602

600x1200MM



K 12604

600x1200MM



K 12605

600x1200MM



K 12606

600x1200MM



K 12608

600x1200MM



K 12609

600x1200MM



K 12611

600x1200MM

SAPPHIRE

600x1200MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 12612

600x1200MM



K 12618

600x1200MM



K 12621

600x1200MM



K 12623

600x1200MM



SAPPHIRE

600x1200MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria




K 12626

600x1200MM



K 12627

600x1200MM



K 12628

600x1200MM



K 12629


600x1200MM

SAPPHIRE

600x1200MM | SUPER GLOSSY


DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria




K 12632

600x1200MM




K 12642

600x1200MM



K 12646

600x1200MM



K 12647

600x1200MM

SAPPHIRE

600x1200MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 12648



600x1200MM K 12649

600x1200MM



Feel The Ecstasy of Sand

Amazon



600x600 MM

Experience the true feel of sand. The charm of exquisite beauty, the tiles resonate the striking surfaces of sand dunes. These versatile tiles confer a creative freedom that ensures extensive personalization. The sensual and organic beauty of sand is aptly emulated in this collection of 60x60 cm tiles. Rich, undulating textures, manufactured with unparalleled quality and precise pro-craftsmanship. An astounding combination of beauty and durability, this collection packs impeccable style, resilience and the finest of finishes into one exquisite product. Ideal for the home of your dreams.

AMAZON

600x600MM | SUPER GLOSSY

POLISHED ITALIAN VITRIFIED TILES

Kajaria



K 6401

600x600MM



K 6402

600x600MM



K 6403

600x600MM



K 6404

600x600MM



K 6405

600x600MM



K 6406

600x600MM

AMAZON

600x600MM | SUPER GLOSSY

POLISHED ITALIAN VITRIFIED TILES

Kajaria



AMAZON

600x600MM | SUPER GLOSSY


POLISHED ITALIAN VITRIFIED TILES

Kajaria



K 6407

600x600MM



K 6411

600x600MM



K 6412

600x600MM



K 6413

600x600MM

Feel The Ecstasy of Sand

Sandune



600x600 MM

Experience the true feel of sand. The charm of exquisite beauty, the tiles resonate the striking surfaces of sand dunes. These versatile tiles confer a creative freedom that ensures extensive personalization. The sensual and organic beauty of sand is aptly emulated in this collection of 60x60 cm tiles. Rich, undulating textures, manufactured with unparalleled quality and precise pro-craftsmanship. An astounding combination of beauty and durability, this collection packs impeccable style, resilience and the finest of finishes into one exquisite product. Ideal for the home of your dreams.

SANDUNE

600x600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 6801

600x600MM



K 6802

600x600MM



K 6803

600x600MM



K 6804

600x600MM



K 6805

600x600MM



K 6806

600x600MM



SANDUNE

600x600MM | SUPER GLOSSY

DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 6807

600x600MM



K 6808

600x600MM



K 6809

600x600MM



K 6810

600x600MM



K 6811

600x600MM



K 6812

600x600MM



SANDUNE

600x600MM | SUPER GLOSSY


DOUBLE CHARGE POLISHED VITRIFIED TILES

Kajaria



K 6813

600x600MM



K 6814

600x600MM



K 6815

600x600MM



K 6816

600x600MM



K 6818

600x600MM

The Aesthetic Culture

Stone Art

*EVERY STONE HAS
ITS OWN STORY*



STONE
art

600x600 MM

The stone art collection reproduces the effects of the finest stone, combined with the strength and durability of polished vitrified tiles. The tiles come in six stunning designs with three distinct finishes, satin matt, rock and slate, one more stunning than the other.

Canvassing nature's exquisite forms, Kajaria's 60x60 cm Stone Art tiles present an aesthetic culture that will enhance outdoors to a whole new level. These random vitrified tiles are super resilient to harsh weather, hence ideal for high traffic areas with heavy footfall.

STONE ART

600x600MM | STONE FINISH

DOUBLE CHARGE VITRIFIED TILES

Kajaria



K 6806 - SATIN MATT 600x600MM



K 6806 - SLATE 600x600MM



K 6807 - SATIN MATT 600x600MM



K 6807 - ROCK 600x600MM




K 6807 - SLATE 600x600MM



K 6810 - SATIN MATT 600x600MM



K 6810 - SLATE 600x600MM



K 6813 - SATIN MATT 600x600MM



K 6813 - ROCK 600x600MM



K 6813 - SLATE 600x600MM

STONE ART
600x600MM | STONE FINISH
DOUBLE CHARGE VITRIFIED TILES

Kajaria



K 6814 - SATIN MATT 600x600MM



K 6814 - ROCK 600x600MM



K 6814 - SLATE 600x600MM



K 6815 - SATIN MATT 600x600MM



K 6815 - ROCK 600x600MM



K 6815 - SLATE 600x600MM

STONE ART


600x600MM | STONE FINISH

DOUBLE CHARGE VITRIFIED TILES

Kajaria



K 6818 - SATIN MATT 600x600MM



K 6818 - ROCK 600x600MM



K 6818 - SLATE 600x600MM



K 6817 - SATIN MATT 600x600MM



Journey into Yourself

StoneGres



600x600 MM

STONE GRES is able to evoke the beauty of antique stone paving, natural effect stones that provide a unique touch to any setup. STONE GRES is ideal to create passageways in modern gardens terraces and patios as well as interior and heavy transit area.

STONEGRES

600x600MM | SALT & PEPPER

FULL BODY VITRIFIED TILES


Kajaria



K 6601 - POLISHED 600x600MM



K 6603 - POLISHED 600x600MM




K 6602 - POLISHED 600x600MM




K 6601 - MATT 600x600MM



K 6603 - MATT 600x600MM




K 6604 - POLISHED 600x600MM




K 6605 - POLISHED 600x600MM



K 6606 - POLISHED 600x600MM



K 6604 - MATT 600x600MM



K 6605 - MATT 600x600MM

STONEGRES

600x600MM | SOLID COLORS

FULL BODY VITRIFIED TILES

Kajaria



K 6701 - POLISHED 600x600MM



K 6702 - POLISHED 600x600MM



K 6703 - POLISHED 600x600MM



K 6701 - MATT 600x600MM



K 6702 - MATT 600x600MM



K 6703 - MATT 600x600MM

STONEGRES

600x600MM | SOLID COLORS

FULL BODY VITRIFIED TILES

Kajaria




K 6704 - POLISHED 600x600MM



K 6706 - POLISHED 600x600MM



K 6705 - POLISHED 600x600MM



K 6704 - MATT 600x600MM



K 6706 - MATT 600x600MM



*Ideal for
Urban Choice*

Terrazzo



600x1200 MM

Introducing Rustic Terrazzo is a uniformly textured surface designed for interior & exterior use in which the matrix is depressed to expose the chips. The newer thin-set and epoxy-based terrazzo options are less labor intensive with greater design flexibility.

TERRAZZO

600x1200MM | MATT

FULL BODY VITRIFIED TILES

Kajaria



K 12671 600x1200MM



K 12672 600x1200MM



K 12673 600x1200MM



K 12674 600x1200MM



K 12675 600x1200MM

Electrifying Spaces

Double Charged



600x600 MM


A range of double charge polished vitrified tiles that comprises the finest quality tiles for you to transform your space. Enrich your ambience with tiles that reflect electrifying charm. The Double Charged Series incorporates tiles designed to enthrall one's senses with sophisticated shades inspired by the beauty of natural stone. Ideal for both homes as well as corporate offices, the Double Charged Series is the new definition of beauty. These large format double charge tiles are further protected through modern Nano-Technology and super shined through superior modern polishing technology which adds premium look to your flooring.

DOUBLE CHARGE

600x600MM | SUPER GLOSSY

POLISHED VITRIFIED TILES

Kajaria



K 6209

600x600MM



K 6032

600x600MM



K 6201

600x600MM



K 6204

600x600MM



K 6206

600x600MM



K 6207

600x600MM



K 6208

600x600MM




K 6209

600x600MM



K 6210

600x600MM



K 6211

600x600MM



K 6212

600x600MM



K 6213

600x600MM

DOUBLE CHARGE

600x600MM | SUPER GLOSSY

POLISHED VITRIFIED TILES

Kajaria



K 6214

600x600MM



K 6215

600x600MM



K 6217

600x600MM



K 6218

600x600MM



K 6221

600x600MM



K 6223

600x600MM

DOUBLE CHARGE

600x600MM | SUPER GLOSSY

POLISHED VITRIFIED TILES

Kajaria




K 6301

600x600MM



K 6306

600x600MM



K 7000*

600x600MM



* SPECIAL PLAIN COLOUR

Rediscover Elegance

Elegant Soluble Salt




An exceptional range of soluble salt tiles that exude the attractiveness and splendor of the spaces. The range of tiles is light in weight yet sturdy, available in varied elegant and fancy textures. The Elegant Soluble Salt collection is available in different styles to fit the needs of traditional as well as modern spaces. This range brings together the sophisticated look of high gloss finish combined with superior functionality. The unmatched physical and chemical properties coupled with matchless designs make these tiles suitable for all settings.

ELEGANT SOLUBLE SALT

600x600MM | SUPER GLOSSY

POLISHED VITRIFIED TILES

Kajaria



K 6000

600x600MM



K 6002

600x600MM




K 6008

600x600MM



K 6010

600x600MM



K 6014

600x600MM



K 6018

600x600MM



K 6019

600x600MM



K 6101

600x600MM



K 6102

600x600MM



K 6105

600x600MM



K 6107

600x600MM

ELEGANT SOLUBLE SALT

600x600MM | SUPER GLOSSY


POLISHED VITRIFIED TILES

Kajaria




MARBELLA

600x600MM



DYNA

600x600MM



THUNDERSTORM

600x600MM

ELEGANT SOLUBLE SALT

600x600MM | SUPER GLOSSY

POLISHED VITRIFIED TILES

Kajaria




CICILIA

600x600MM



WOODENZA

600x600MM



CRACK

600x600MM



TRAVERTINE

600x600MM



Especially Designed For Outdoor Use

Duratech



One of the most important conditions to create aesthetic and functional space is to choose materials suitable for the space. In particular, floors that are the mostly commonly used parts of the outdoor spaces are an important factor to ensure that the conditions in the space meet the needs. Kajaria Duratech Heavy Duty Vitrified Tiles can be safely used in all internal and external spaces that are exposed to high load and pedestrian traffic. They are safely used in pedestrian traffic area, vehicular movement area, terraces, balconies, roof sunbathing areas, veranda, seaside, beach, swimming pools, side walk, metros, airports, train stations, industrial buildings, parking lots, underpasses, villa gardens, distribution companies, call centers, educational buildings etc...



RANDOM

DURATECH

400x400MM | MATT

HEAVY DUTY OUTDOOR VITRIFIED TILES

Kajaria




4011 A 400x400MM



4012 A 400x400MM



4013 B 400x400MM



4014 B 400x400MM



4015 B 400x400MM



4016 B 400x400MM




DURATECH

400x400MM | MATT

HEAVY DUTY OUTDOOR VITRIFIED TILES

Kajaria



4017 C ■ 400x400MM



4018 C ■ 400x400MM



4019 C ■ 400x400MM



4020 D ■ 400x400MM



4020 D-HL ■ 400x400MM



DURATECH

400x400MM | MATT

HEAVY DUTY OUTDOOR VITRIFIED TILES

Kajaria



4021 E 400x400MM



4021 E-HL 400x400MM




4022 E 400x400MM



4023 E 400x400MM



4024 F 400x400MM



4024 F-HL 400x400MM



4025 F 400x400MM

DURATECH

400x400MM | MATT

HEAVY DUTY OUTDOOR VITRIFIED TILES

Kajaria



4026 G ■ 400x400MM



4027 G ■ 400x400MM



4028 G ■ 400x400MM



DURATECH

400x400MM | MATT

HEAVY DUTY OUTDOOR VITRIFIED TILES

Kajaria



4029 H ■ 400x400MM



4030 H ■ 400x400MM



4031 H ■ 400x400MM



4032 H ■ 400x400MM



4033 I ■ 400x400MM



4034 I ■ 400x400MM



4035 I ■ 400x400MM



4036 J ■ 400x400MM



4037 J ■ 400x400MM



4038 J ■ 400x400MM




DURATECH

400x400MM | MATT

HEAVY DUTY OUTDOOR VITRIFIED TILES

Kajaria



4039 K 400x400MM



4040 K 400x400MM



4041 L 400x400MM



4042 L 400x400MM



4043 M 400x400MM



4044 M 400x400MM



4045 N 400x400MM



4046 N 400x400MM



DURATECH

400x400MM | MATT

HEAVY DUTY OUTDOOR VITRIFIED TILES

Kajaria



4047 O 400x400MM



4048 O 400x400MM



4049 P 400x400MM



4050 P 400x400MM



4051 Q 400x400MM



4052 Q 400x400MM



4053 R 400x400MM



4054 R 400x400MM

DURATECH

400x400MM | MATT

HEAVY DUTY OUTDOOR VITRIFIED TILES

Kajaria



4055 S 400x400MM



4056 S 400x400MM



4057 S 400x400MM



4058 T 400x400MM



4059 T 400x400MM



4060 U 400x400MM



4061 U 400x400MM



DURATECH
400x400MM | MATT

→ **12mm**

TECHNICAL SPECIFICATION 400X400MM / 12MM DURATECH

S.No.	PROPERTY	GROUP BIA - ISO 13006/EN-176	GROUP BIA IS :15622:2017	OUR VALUE	TEST ACCORDING TO
Dimensions & surface Quality					
1.	Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
2.	Deviation in thickness	± 5%	± 5%	± 4%	ISO 10545:2/IS:13630 (P-1)
3.	Deviation in Staightness of sides	± 0.5%	± 0.5%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
4.	Deviation in Rectangualrity	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
5.	Deviation in Surface Flatness	± 0.5%	± 0.5%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
6.	Surface Quality (%)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
Physical charactersitics					
7.	Scratch Hardness of surface Moh's scale	Min. 6	Min. 5	6	EN-101/IS:13630 (P-13)
8.	Water absorption	≤0.5%	Averages 0.08, Individual maximum 0.10%	<0.1%	ISO 10545:3/IS: 13630 (P-2)
9.	Moisture Expansion	Nil	-	Nil	ISO 10545:10
10.	SurfaceAbrasion Resistance	As per Mfg.	-	Min. Class-4	ISO 10545:7
11.	Deep Abrason	max 175 mm ³	max 140 mm ³	< 144mm ³	ISO 10545:6/IS:13630 (P-12)
Mechanical charactersitics					
12.	Breaking strength	1300 N	Min 1300 N	>3000N	ISO 10545:4/IS: 13630 (P-6)
13.	Modulus of rupture	>35 N/mm ²	Average 35, Individual minimum 32	≥40 N/mm ²	ISO 10545:4/IS: 13630 (P-6)
14.	Impact resistance	Declared by manufacturer	Required	Min. 0.55	ISO 10545:5/IS:13630 (P-14)
Safety charactersitics					
15.	Density	2.20 gm/cc	Min 2.20 gm/cc	2.30 gm/cc	ISO 10545:3
16.	Skid resistance (Friction coeeficient)	≥0.4	-	≥0.5	ISO 10545:17
Thermo photo charactersitics					
17.	Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
18.	Co efficient of thermal expansion	9×10 ⁻⁶ K ⁻¹ Max	6×10 ⁻⁶ K ⁻¹ Max	<6×10 ⁻⁶ K ⁻¹ Max	ISO 10545:8/IS:13630 (P-4)
19.	Frost resistance	Resistant	Required	Frost proof	ISO 10545:12/IS: 13630 (P-10)
20.	Crazing Resistance	As per Mfg.	-	Min 10 cycles	ISO 10545:11
Chemical characteristics charactersitics					
21.	Stain Resistance	Min class-3	Required	Min conform to class-4'	ISO 10545:14
22.	Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UA'	ISO 10545:13/IS:13630 (P-7)
23.	Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-U LA'	ISO 10545:13/IS:13630 (P-7)
24.	Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-UHB	Required	Conform to classes-UHA'	ISO 10545:13/IS:13630 (P-7)

TECHNICAL SPECIFICATION - POLISHED VITRIFIED TILES

S. No.	Property	Group B1a - ISO 13006 / EN - 176	Group B1a IS : 15622 : 2006	Our Value	Test According to
Dimensions & surface Quality					
1.	Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
2.	Deviation in thickness	± 5%	± 4%	± 4%	ISO 10545:2/IS:13630 (P-1)
3.	Deviation in Straightness of sides	± 0.5%	± 0.4%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
4.	Deviation in Rectangularity	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
5.	Deviation in Surface Flatness	± 0.5%	± 0.5%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
6.	Surface Quality (%)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
7.	Glossiness with Nano	Declared by manufacturer	-	Minimum 90%	ISO 2813 (Glossy meter)
Physical characteristics					
8.	Scratch Hardness of surface Moh's scale	Min. 6	Min. 5	Min. 5	EN-101/IS:13630 (P-13)
9.	Water absorption	≤0.5%	Averages 0.08, Individual Maximum, 1.0	≤0.05%	ISO 10545:3/IS:13630 (P-2)
10.	Moisture Expansion	Nil	-	Nil	ISO 10545:10
11.	Deep Abrasion	max 175 mm ²	max 175 mm ²	≤ 144mm ³	ISO 10545:6/IS:13630 (P-12)
Mechanical characteristics					
12.	Breaking strength	1300 N	Min 1500	≥2200N	ISO 10545:4/IS:13630 (P-6)
13.	Modulus of rupture	≥35 N/mm ²	Averages 35	≥35 N/mm ²	ISO 10545:4/IS:13630 (P-6)
14.	Impact resistance	Declared by manufacturer	Required	no indentation or cracking	ISO 10545:5/IS:13630 (P-14)
Safety characteristics					
15.	Density	2.20 gm/cc	Min 2.20 gm/cc	2.34 gm/cc	DIN 51082/IS:13630 (P-2)
16.	Skid resistance (Friction Co efficient)	≥0.4	-	≥0.4	ISO 10545:17
Thermo photo characteristics					
17.	Thermal shock resistance	Resistant to 10 cycles	Min 10 Cycles	Pass min 10 cycles	ISO 10545:9/IS:13630 (P-5)
18.	Coefficient of thermal expansion	9×10 ⁻⁶ /K ^o Max	6×10 ⁻⁶ /K ^o Max	<6×10 ⁻⁶ /K ^o Max	ISO 10545:8/IS:13630 (P-4)
19.	Frost resistance	Resistant	Resistant	Resistant	ISO 10545:12/IS:13630 (P-10)
20.	Color Resistance to UV light	Resistant	-	Resistant	DIN 51094
Chemical characteristics characteristics					
21.	Stain Resistance	Min class-3	Required	Min conform to class-4	ISO 10545:14
22.	Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UA	ISO 10545:13/IS:13630 (P-7)
23.	Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-U LA	ISO 10545:13/IS:13630 (P-7)
24.	Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-UHA	ISO 10545:13/IS:13630 (P-7)

TECHNICAL SPECIFICATION - STONE ART

S. No.	Property	Group B1a - ISO 13006	Our Value	Test According to
Dimensions & surface Quality				
1.	Deviation in length and width	± 0.5%	± 0.1%	ISO 10545:2
2.	Deviation in thickness	± 5%	± 4%	ISO 10545:2
3.	Deviation in Straightness of sides	± 0.5%	± 0.1%	ISO 10545:2
4.	Deviation in Rectangularity	± 0.6%	± 0.1%	ISO 10545:2
5.	Deviation in Surface Flatness	± 0.5%	± 0.2%	ISO 10545:2
6.	Surface Quality (%)	Minimum 95%	No visible defects	ISO 10545:2
Physical characteristics				
7.	Scratch Hardness of surface Moh's scale	Min. 6	Min. 6	ISO 10545:3
8.	Water absorption	≤0.5%	≤0.05%	ISO 10545:3
9.	Moisture Expansion	Nil	Nil	ISO 10545:10
10.	Surface Abrasion Resistance	max 175 mm ²	≤ 144mm ³	ISO 10545:7
Mechanical characteristics				
11.	Breaking strength	1300 N	>2200N	ISO 10545:4
12.	Modulus of rupture	≥35 N/mm ²	≥35 N/mm ²	ISO 10545:4
13.	Impact resistance	Declared by manufacturer	no indentation or cracking	ISO 10545:5
Safety characteristics				
14.	Density	2.20 gm/cc	2.34 gm/cc	DIN 51082
15.	Skid resistance	----	More than R11 (60x60CM x 9.7MM)	DIN 51130
Thermo photo characteristics				
16.	Thermal shock resistance	Resistant to 10 cycles	Pass min 10 cycles	ISO 10545:9
17.	Co efficient of thermal expansion	9×10 ⁻⁶ /K ^o Max	<6×10 ⁻⁶ /K ^o Max	ISO 10545:8
18.	Frost resistance	Resistant	Resistant	ISO 10545:12
19.	Color Resistance to UV light	Resistant	Resistant	ISO 10545:16
Chemical characteristics characteristics				
20.	Stain Resistance	Resistant	Resistant	ISO 10545:14
21.	Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Conform to classes-UA	ISO 10545:13
22.	Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Conform to classes-U LA	ISO 10545:13
23.	Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-ULB	Conform to classes-UHA	ISO 10545:13

TECHNICAL SPECIFICATION - FULL BODY VITRIFIED TILES

S. No.	CHARACTERISTIC	International Standards Group B1a- ISO 13006 Annx. G.	MEAN VALUE OF KAJARIA	TEST METHOD
Dimensions & surface Quality				
1.	Deviation in length and width	± 0.6%	± 0.1%	ISO 10545:2
2.	Deviation in thickness	± 5%	± 4%	ISO 10545:2
3.	Deviation in Straightness of sides	± 0.5%	± 0.1%	ISO 10545:2
4.	Deviation in Rectangularity	± 0.6%	± 0.1%	ISO 10545:2
5.	Deviation in Surface Flatness	± 0.5%	± 0.2%	ISO 10545:2
6.	Surface Quality (%)	Minimum 95%	No visible defects	ISO 10545:2
Physical characteristics				
7.	Scratch Hardness of surface Moh's scale	Min. 6	Min. 6	ISO 10545:3
8.	Water absorption	≤ 0.5%	≤ 0.05%	ISO 10545:3
9.	Moisture Expansion	Nil	Nil	ISO 10545:10
10.	Surface Abrasion Resistance	max 175mm ³	≤ 144mm ³	ISO 10545:7
Mechanical characteristics				
11.	Breaking strength	1300 n	≥ 2200 n	ISO 10545:4
12.	Modulus of rupture	≥ 35 N/mm ²	≥ 35 N/mm ²	ISO 10545:4
13.	Impact resistance	Declared by manufacturer	no indentation or cracking	ISO 10545:5
Safety characteristics				
14.	Density	2.20 gm/cc	2.34 gm/cc	DIN 51082
15.	Skid resistance	-	More than R10 (60x60cm x 9.7mm)	DIN 51130
Thermo photo characteristics				
16.	Thermal shock resistance	Resistant to 10 cycles	Pass min 10 cycles	ISO 10545:9
17.	Co efficient of thermal expansion	9x10 ⁻⁶ K ⁻¹ Max	<6x10 ⁻⁶ K ⁻¹ Max	ISO 10545:8
18.	Frost resistance	Resistant	Resistant	ISO 10545:12
19.	Color Resistance to UV light	Resistant	Resistant	ISO 10545:16
Chemical characteristics				
20.	Stain Resistance	Resistant	Resistant	ISO 10545:14
21.	Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Conform to classes-UA	ISO 10545:13
22.	Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Conform to classes-U LA	ISO 10545:13
23.	Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-ULB	Conform to classes-U HA	ISO 10545:13

PACKING DETAILS

S. No.	Dimensions (mm)	No. of tiles / box	Coverage Area
1.	800x1600	2 Pcs.	2.56 Sq. Mtr.
2.	600x1200	2 Pcs.	1.44 Sq. Mtr.
3.	1000x1000	2 Pcs.	2.00 Sq. Mtr.
4.	800x800	3 Pcs.	1.92 Sq. Mtr.
5.	600x600	4 Pcs.	1.44 Sq. Mtr.
6.	Stone Art 600x600	4 Pcs.	1.44 Sq. Mtr.
7.	Duratech 400x400	5 Pcs.	0.80 Sq. Mtr.

* Vitrified tiles have resistance to most of the stains/chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

Resistance to acids & alkalies (Exception Hydrofluoric Acids & its Compounds)

1. Colours in the catalog are as accurate as printing process allows
2. Sizes mentioned in the catalog are the nominal sizes only.
3. Conforming to ISO requirements, technical specifications for Kajara tiles are applicable only for 1st quality tiles.
4. Please inspect all tiles prior to installation; company will not entertain complaints, once tiles are laid / fixed.
5. For better laying, please follow the instructions on the packaging box.

NORTH**CHANDIGARH**

SCO- 45-46-47, first floor, sector-17A,
opp. Taj Hotel, Chandigarh-160017
Mobile : 9779042134, 9779009264
Phone : 0172- 4631419 / 16

DELHI

J-1/B-1 (Extn.),
Mohan Co-Operative Industrial Estate,
(Opp. Badarpur Thermal Power Station),
Mathura Road, New Delhi - 110 044. (Delhi)
Mobile : 9717795123, 9717795181

DEHRADUN

International Trade Tower, 1 Old Survey Road,
Adjoining Rajpur Road., Near Cross Road Mall
Dehradun - 248001, Uttarakhand
Mobile : 97600 40499

JAIPUR

G-1-2, Aishwarya Tower,
Near Hotel Hawa Mahal, Ajmer Road,
Jaipur-302005, (Rajasthan)
Mobile : 9929022124

LUDHIANA

Upper Ground Floor, Sandhu Tower-2,
Gurdev Nagar, Ferozpur Road,
Ludhiana - 141001, Punjab
Mobile : 9779021257

LUCKNOW

529 GHA/06, Kanchana Bihari Marg,
Near Jagrani Hospital, Ring Road
Lucknow - 226016 (U.P.)
Mobile : 9793299660, 8173001374

VARANASI

Rukmani Tower, N8/247-2K-1, DLW,
BHU Road, Newada, Sunderpur
Varanasi-221005, Uttar Pradesh
Mobile : 9794865554, 9005065656

WEST**AHMEDABAD**

16-30, 2nd Floor, Agarwal Mall,
Opp. Sola Bhagwat Vidhyapith,
SG Highway, Ahmedabad-380060, (Gujarat)
Mobile : 9724340890

AURANGABAD

Plot No 300,10/3 N-3, Opposite
Ramgiri Hotel, Jalna Road, Sidco,
Aurangabad- 431003, (Maharashtra)
Mobile : 8600992618

MUMBAI

B1-307, BOOMERANG, Chandivali Farm Road,
Near Chandivali Studio, Off Saki-Vihar Road,
Andheri (E) Mumbai - 400072, (Maharashtra)
Mobile : 9987753947,9987753948

NAGPUR

Parthamesh Raja Apartment., Above
Bank of Baroda, Untakhana Road,
Medical Square, Nagpur - 440009,
(Maharashtra)
Mobile : 7755904583

PUNE

601-A, D.S.K. Gandharv Heights,
Ganesh Khind Road, Shivaji Nagar,
Pune - 411005, (Maharashtra)
Mobile : 7028005373

CENTRAL**INDORE**

15/2 Meera Path Colony, Opp. New Railway Station,
Near BSNL office, Indore - 452001 Madhya Pradesh
Mobile : 9752593468, 9752593467

RAIPUR

1st Floor, Maharaja Plaza, Near Wholesale
Fruit Market, Dhamtari Road, Laalpur
Raipur-492001, Chhattisgarh
Mobile : 9755007408

EAST**KOLKATA**

Tirupati Plaza, 2nd Floor, 74/2, A.J.C.Bose Road,
Opp to Jora Girja,
Kolkata - 700 016 (West Bengal)
Mobile: 9007011023

SOUTH**BANGALORE**

Farah Icon, 119 First Floor
Opp. New Pass Port Kendra, Lalbagh Road,
Bangalore - 560 027, (Karnataka)
Mobile : 9008098325, 9008007336, 90082 78672

CHENNAI

Old No.121, New No.38, Arihant jashn Building,
Rukmani Lakshmiipathi Salai,
Opp to Rajarathinam Stadium, Egmore
Chennai - 600008, TamilNadu
Mobile : 9003077099
Phone : 044-28594990 / 28594991

COCHIN

MN Square, 1st Floor
549/2, Near Gold Souk Grande
NH Bypass, Vyttila, Cochin- 19, (Kerala)
Mobile : 9746474732, 9746474739, 9746474733

COIMBATORE

First Floor , No.57, Cowley Brown Road,
R.S Puram, Coimbatore - 641002, (Tamil Nadu)
Mobile : 9003325075

HYDERABAD

Keerthi & Pride Towers, House No. 8-2-120/86/1&2,
3rd Floor, plot No.11 & 12, Road No.2, Banjara Hills
Hyderabad-500034, (Telangana)
Mobile : 9000005385

VIJAYWADA

61-3/4-1, 1st Road, Geetha Nagar, Beside SBI Bank,
NH-5,Vijaywada-520013, (Andhra Pradesh)
Mobile : 7799660222, 9000302776

SALES REPRESENTATIVE**NORTH****AGRA :**

Mobile : 9760045574

ALLAHABAD :

Mobile : 9773983600

BHATINDA :

Mobile : 9501001162

FARIDABAD :

Mobile : 9717219345

GURGAON :

Mobile : 9717795118
9650065523

GHAZIABAD :

Mobile : 9810010240

GORAKHPUR :

Mobile : 8009407878

HALDWANI :

Mobile : 9760098112

HISSAR :

Mobile : 9996907982

JALANDHAR :

Mobile : 9779021261

JAMMU :

Mobile : 9906909300

JODHPUR :

Mobile : 9001094759

KANPUR :

Mobile : 8173001374

GHAZIABAD/ NOIDA :

Mobile : 9810010240

ROHTAK :

Mobile : 9996907982

SHIMLA

Mobile : 9501001163

UDAIPUR :

Mobile : 9001092597

EAST**BIHAR :**

Mobile : 7781005449

JHARKHAND :

Mobile : 9938234060

WB/NE

Mobile : 9007372220

ODISHA

Mobile : 9937571222

SOUTH**CALICUT:**

Mobile : 9746117422

KANNUR :

Mobile : 9746474736

HUBLI :

Mobile : 9008022099

MADURAI :

Mobile : 9840284411

MANGALORE :

Mobile : 9008402944

SALEM :

Mobile : 9003842142

TRIVANDURM :

Mobile : 9746474735

TRICHY :

Mobile : 9003075175

THRISSUR :

Mobile : 9746474734

VIJAYAWADA :

Mobile : 9000005385

WEST**KOLHAPUR :**

Mobile : 8600992617

NASIK :

Mobile : 9730081553

GOA :

Mobile : 7757032203

SURAT :

Mobile : 9724340890

BARODA :

Mobile : 9205897978

CENTRAL**BILASPUR :**

Mobile : 9752593830

JABALPUR :

Mobile : 9752593831

GWALIOR :

Mobile : 9752593834

BHOPAL :

Mobile : 7389035949



Kajaria

Kajaria Ceramics Limited

Corporate Office: J1/B1(Extn.), Mohan Co-op Industrial Estate, Mathura Road, New Delhi-110044, Ph.:+91-11-26946409, Fax: +91-11-26946407

Regd Office: SF-11, Second Floor, JMD Regent Plaza, Mehrauli Gurgaon Road, Village Sikanderpur Ghosi, Gurgaon-122001, Haryana, Ph.: +91-0124-4081281

CIN No.: L26924HR1985PLC056150, E-mail: info@kajariaceramics.com, Web.: www.kajariaceramics.com

 facebook.com/KajariaCeramicsLimited  twitter.com/KajariaCeramic, Tollfree : 1800-11-2992

Download Kajaria App

